

| LEGACY MODEL | LEGACY 500# | LEGACY DESCRIPTION | REPLACEMENT MODELS | | | | | NOTES |
|--|-------------|---|--------------------|--------------|-------------|-------------|--|-------|
| *** STAND ALONE STROBES OR-WALL MOUNT *** | | | | | | | | |
| U-MCS | 500-699701 | U-MCS ADAPT STAND ALONE STROBE RED | ZR-MC-CR | ZR-MC-R | | | DIRECT REPLACEMENT | |
| U-MCS-W | 500-699702 | U-MCS-W ADAPT STD ALONE STROBE WHITE | ST-MC-CW | ZR-MC-W | ZR-MC-CW | | DIRECT REPLACEMENT | |
| U-MCS-WE | 500-648644 | U-MCS-WE STANDALONE STROBE EVAC WHITE | N/A | | | | N/A | |
| *** RETRO PLATE WITH STROBE - WALL MOUNT *** | | | | | | | | |
| U-MCS-6090V | 500-699703 | U-MCS-6090V ADAPT/STD STROBE RED | ST-MC-RETRO-R | | | | DIRECT REPLACEMENT | |
| U-MCS-6090V-W | 500-699704 | U-MCS-6090V-W ADAPT/STD STROBE WHITE | N/A | | | | N/A | |
| *** STAND ALONE STROBES - WALL MOUNT - WEATHERPROOF *** | | | | | | | | |
| U-S110-1 | 500-696658 | U-S110-1 100CD STROBE RED | ST-75-R-WP | | | | NOT 100 CANDELA - NOW 30/180 CANDELA | |
| U-S110-1-W | 500-696659 | U-S110-1-W 100CD STROBE WHITE | ST-75-W-WP | | | | NOT 100 CANDELA - NOW 30/180 CANDELA | |
| U-S110S-1 | 500-696660 | U-S110S-1 100CD SYNC STROBE RED | ST-75-R-WP | | | | NOT 100 CANDELA - NOW 30/180 CANDELA | |
| U-S110S-1-W | 500-696661 | U-S110S-1-W 100CD SYNC STROBE WHITE | ST-75-W-WP | | | | NOT 100 CANDELA - NOW 30/180 CANDELA | |
| U-MCS-WP | 500-649499 | ADAPTER STROBE | ST-HMC-R-WP | ST-HMC-CR-WP | | | NOT STANDARD CANDELA - NOW HI CANDELA | |
| U-MCS-WP-W | 500-649500 | ADAPTER STROBE WHITE | ST-HMC-W-WP | ST-HMC-CW-WP | | | NOT STANDARD CANDELA - NOW HI CANDELA | |
| *** STAND ALONE STROBES - 120VAC WALL MOUNT - WEATHERPROOF *** | | | | | | | | |
| U-S110-1-AC | 500-698934 | U-S110-1-AC WP STROBE 100CD RED | N/A | | | | N/A | |
| *** STAND ALONE STROBES - 120VAC - WALL MOUNT *** | | | | | | | | |
| U-S110-AC | 500-698916 | U-S110-AC STROBE 110CD RED | N/A | | | | N/A | |
| U-S110-AC-W | 500-698917 | U-S110-AC-W STROBE 110CD,WHT | N/A | | | | N/A | |
| *** RETROPLATE W/STROBE 120VAC - WALL MOUNT *** | | | | | | | | |
| U-S110-6090V-AC | 500-698928 | U-S110-6090V-AC SIG PLT W/STROBE RED | N/A | | | | N/A | |
| *** AC ELECTRO-MECHANICAL HORN/STROBES-WALL MOUNT *** | | | | | | | | |
| U-HN-AC | 500-696500 | 4" SURFACE/FLUSH 120VAC,RED | MH115-R | | | | DIRECT REPLACEMENT | |
| U-HN-AC-W | 500-696501 | 4" SURFACE/FLUSH 120VAC,WHITE | N/A | | | | N/A | |
| U-HN-S110-AC | 500-696510 | AC HORN 110CD STROBE,RED | MTH-15-115-R-WP | | | | DIRECT REPLACEMENT | |
| U-HN-S110-AC-W | 500-696511 | AC HORN 110CD STROBE,WHITE | MTH-15-115-R-RP | | | | DIRECT REPLACEMENT | |
| *** DC ELECTRO-MECHANICAL HORN/STROBES-WALL MOUNT *** | | | | | | | | |
| U-HN-MCS | 500-699724 | U-HN-MCS E-MECH HORN W/STROBE RED | AS-MC-R | | | | DIRECT REPLACEMENT | |
| U-HN-MCS-W | 500-699726 | U-HN-MCS-W E-MECH HORN W/STROBE WHITE | AS-MC-W | | | | DIRECT REPLACEMENT | |
| U-HN | 500-696512 | 4" SURFACE/FLUSH,24VDC,RED | AH-R | | | | DIRECT REPLACEMENT | |
| U-HN-W | 500-696513 | 4" SURFACE/FLUSH,24VDC,WHITE | AH-W | | | | DIRECT REPLACEMENT | |
| *** DC ELECTRO-MECHANICAL HORN/STROBES-CEILING MOUNT *** | | | | | | | | |
| U-HN-MCS-C | 500-699725 | U-HN-MCS-C E-MECH HORN W/STROBE WHITE | AS-MC-CW | | | | DIRECT REPLACEMENT | |
| U-HN-C | 500-696935 | U-HN-C HORN CEILING MOUNT WHITE | AH-W | | | | DIRECT REPLACEMENT | |
| *** DC ELECTRO-MECHANICAL HI DB HORN/STROBES-WALL MOUNT *** | | | | | | | | |
| U-HNH-MCS | 500-699729 | U-HNH-MCS E-MECH HORN W/STROBE RED | AS-MC-R | | | | NOT 100dB - NOW 99dB | |
| U-HNH-MCS-W | 500-699731 | U-HNH-MCS-W E-MECH HORN W/STROBE WHITE | AS-MC-W | | | | NOT 100dB - NOW 99dB | |
| U-HNH | 500-696534 | 4" SURF/FLSH 24VDC RED MECH HRN | AH-R | | | | NOT 100dB - NOW 99dB | |
| U-HNH-W | 500-696535 | 4" SURFACE MECH HORN 24VDC,WHT | AH-W | | | | NOT 100dB - NOW 99dB | |
| *** DC ELECTRO-MECHANICAL HI DB HORN/STROBES-CEILING MOUNT *** | | | | | | | | |
| U-HNH-MCS-C | 500-699730 | U-HNH-MCS-C WHITE | AS-MC-CW | | | | NOT 100dB - NOW 99dB | |
| U-HNH-C | 500-696946 | HORN-CEILING MOUNT WHITE | AH-W | | | | NOT 100dB - NOW 99dB | |
| *** DC ELECTRO-MECHANICAL HORN/STROBES-WALL MOUNT - WEATHERPROOF *** | | | | | | | | |
| U-HN-S110-1 | 500-696692 | U-HN-S110-1 110CD STROBE RED | AS-75-R-WP | | | | DIRECT REPLACEMENT | |
| U-HN-S110-1-W | 500-696693 | U-HN-S110-1-W 110CD STROBE WHITE | N/A | | | | N/A | |
| U-HN-S110S-1 | 500-696694 | U-HN-S110S-1 110CD SYNC STROBE RED | AS-75-R-WP | | | | NOT 110 CANDELA - NOW 30/180 CANDELA | |
| U-HN-S110S-1-W | 500-696695 | U-HN-S110S-1-W 110CD SYNC STROBE WHITE | N/A | | | | N/A | |
| U-HN-MCS-WP | 500-649501 | HORN/ADAPTER STROBE | AS-HMC-CR-WP | AS-HMC-R-WP | | | NOT LOW CANDELA - NOW HI | |
| U-HN-MCS-W-WP | 500-649502 | HORN/ADAPTER STROBE WHITE | AS-HMC-CW-WP | AS-HMC-W-WP | | | NOT LOW CANDELA - NOW HI | |
| ***DC ELECTROMECHANICAL HI DB HORN/STROBES - WALL MOUNT - WEATHERPROOF*** | | | | | | | | |
| U-HNH-S110-1 | 500-696714 | U-HNH-S110-1 110CD STROBE RED | AS-75-R-WP | | | | NOT 100dB - NOW 99dB | |
| U-HNH-S110S-1 | 500-696716 | U-HNH-S110S-1 110CD SYNC STROBE RED | AS-75-R-WP | | | | NOT 100dB - NOW 99dB | |
| U-HNH-S110-1-W | 500-696715 | U-HNH-S110-1-W 100CD STROBE WHITE | N/A | | | | N/A | |
| U-HNH-MCS-WP | 500-649503 | HORN/ADAPTER STROBE | AS-HMC-R-WP | | | | NOT STANDARD CANDELA - NOW HI; NOT 100dB - NOW 99dB | |
| U-HNH-MCS-W-WP | 500-649504 | HORN/ADAPTER STROBE WHITE | AS-HMC-W-WP | | | | NOT STANDARD CANDELA - NOW HI; NOT 100dB - NOW 99dB | |
| *** AC ELECTROMECHANICAL HORN/STROBES - WALL MOUNT - WEATHERPROOF *** | | | | | | | | |
| U-HN-S110-1-AC | 500-696672 | U-HN-S110-1-AC 110CD STROBE RED | N/A | | | | N/A | |
| U-HN-S110-1-ACW | 500-696673 | U-HN-S110-1-AC-W 110CD STROBE WHITE | N/A | | | | N/A | |
| *** STEADY TONE MINI - HORN/STROBES - WALL OR CEILING MOUNT *** | | | | | | | | |
| U-MH-MCS | 500-699711 | U-MH-MCS MINIHORN W/STROBE RED | HS-MC-R | | | | WALL MOUNT ONLY | |
| U-MH-MCS-W | 500-699712 | U-MH-MCS-W MINI HORN W/STROBE WHITE | HS-MC-W | | | | WALL MOUNT ONLY | |
| U-MH-1G | 500-696556 | MINI HORN 24VDC,1 GNG SRF/FLSH, RED | MH-R | | | | DIRECT REPLACEMENT | |
| U-MH-1G-W | 500-696557 | MINI-HRN 24VDC,1 GNG SRF/FLSH,WHITE | MH-W | | | | DIRECT REPLACEMENT | |
| U-MH | 500-696558 | MINI-HRN 24VDC,SRF/FLSH,RED | HS-R | | | | DIRECT REPLACEMENT | |
| U-MH-W | 500-696559 | MINI HORN- WHITE | HS-W | | | | DIRECT REPLACEMENT | |
| ***SYNS/NON-SYNC ELECTRONIC HORNS AND HORN/STROBES WALL OR CEILING MOUNT*** | | | | | | | | |
| U-MHU-1G | 500-699591 | 1 GANG ELC SYNC/NON-SYNC HORN RED | MH-R | | | | DIRECT REPLACEMENT | |
| U-MHU-1G-W | 500-699592 | 1 GANG ELC SYNC/NON-SYNC HORN WHITE | MH-W | | | | DIRECT REPLACEMENT | |
| U-MHU-W | 500-699593 | 1,2&4 GANG ELC SYNC/NON-SYNC HORN WHITE | HS-W | | | | DIRECT REPLACEMENT | |
| U-MHU | 500-699594 | 1,2&4 GANG ELC SYNC/NON-SYNC HORN RED | HS-R | | | | DIRECT REPLACEMENT | |
| U-MHU-MCS | 500-699597 | ELC SYNC/NON-SYNC HORN W/MCS STROBE RED | HS-MC-R | | | | DIRECT REPLACEMENT | |
| U-MHU-MCS-W | 500-699598 | ELC SYNC/NON-SYNC HORN-W/MCS STROBE WHITE | HS-MC-W | | | | DIRECT REPLACEMENT | |
| U-MHU-MCS-WP | 500-649080 | SYNC HORN STROBE WP | AS-HMC-CR-WP | AS-HMC-CW-WP | AS-HMC-R-WP | AS-HMC-W-WP | NOT LOW CANDELA - NOW HI CANDELA; NOT 4 WIRE - NOW 2 WIRE ONLY | |

| LEGACY MODEL | LEGACY 500# | LEGACY DESCRIPTION | REPLACEMENT MODELS | | | | | NOTES |
|--|-------------|---|--------------------|---------------|--------------|--------------|---------------|--|
| *** SYNC/NON SYNC HORN AND HORN/STROBE WEATHERPROOF*** | | | | | | | | |
| U-MHU-WP | 500-649090 | WP SYNC HORN/STROBE | AH-R-WP | | | | | DIRECT REPLACEMENT |
| U-MHU-S110S-1 | 500-649460 | W/P SYNC HORN/STROBE-100CD | AS-75-R-WP | AS-75-CR-WP | | | | NOT 110 CANDELA - NOW 30/180 CANDELA |
| U-MHU-S110-1 | 500-649461 | W/P NON-SYNC HORN/STROBE-100CD | AS-75-R-WP | AS-75-CR-WP | | | | NOT 110 CANDELA - NOW 30/180 CANDELA |
| MT-SUR-BOX | 500-693168 | MT-SUR-BOX WEATHERPROOF | MT-SUR-BOX | | | | | DIRECT REPLACEMENT |
| ***AGENT RELEASE NOTIFICATION APPLIANCES*** | | | | | | | | |
| U-MCS-AR | 500-699746 | STAND ALONE STROBE AGENT RELEASE RED | N/A | | | | | FUTURE |
| U-MMT-MCS-AR | 500-699758 | 8 TONE HORN W/ STRB AGENT RELEASE RED | N/A | | | | | FUTURE |
| U-MMT-AR | 500-699759 | 8 TONE HORN W/ AGENT RELEASE RED | N/A | | | | | FUTURE |
| *** STEADY/TEMPORAL TONE MINI HORN/STROBE-WALL OR CEILING MOUNT *** | | | | | | | | |
| U-MHT-MCS | 500-699709 | U-MHT-MCS MINIHORN W/STROBE | ZH-MC-R | ZH-MC-CR | NS-MC-CR | | | DIRECT REPLACEMENT |
| U-MHT-MCS-W | 500-699710 | U-MHT-MCS-W MINIHORN W/STROBE | ZH-MC-W | ZH-MC-CW | NS-MC-CW | | | DIRECT REPLACEMENT |
| U-MHT-1G | 500-696580 | MINI HORN 24VDC 1 GANG RED | MH-R | | | | | DIRECT REPLACEMENT |
| U-MHT-1G-W | 500-696581 | MINI-HORN 24VDC GANG WHITE | MH-W | | | | | DIRECT REPLACEMENT |
| U-MHT | 500-696582 | MINI-HORN 24VDC RED | ZH-R | | | | | DIRECT REPLACEMENT |
| U-MHT-W | 500-696583 | MINI-HORN 24VDC WHITE | ZH-W | | | | | DIRECT REPLACEMENT |
| *** 8 TONE ELECTRONIC HORN/STROBES-WALL OR CEILING MOUNT *** | | | | | | | | |
| U-MMT-MCS | 500-699713 | U-MMT-MCS 8T MINIHORN W/STROBE RED | MTH-MC-R | | | | | DIRECT REPLACEMENT |
| U-MMT-MCS-W | 500-699714 | U-MMT-MCS-W 8T MINIHORN W/STROBE WHITE | MTH-MC-W | | | | | DIRECT REPLACEMENT |
| U-MMT-1G | 500-696604 | 1 GANG SRFCE/FLSH 24VDC,RED | N/A | | | | | N/A |
| U-MMT-1G-W | 500-696605 | 1 GANG SRFCE/FLSH 24VDC, WHITE | N/A | | | | | N/A |
| U-MMT | 500-696606 | 1, 2 & 4" GANG SRF/FLSH 24VDC,RED | MTH-R | | | | | DIRECT REPLACEMENT |
| U-MMT-W | 500-696607 | 1, 2 & 4" GANG SRF/FLSH 24VDC,WHITE | MTH-W | | | | | DIRECT REPLACEMENT |
| *** LOW PROFILE SPEAKER/STROBES-WALL MOUNT *** | | | | | | | | |
| S-LP25-MCS | 500-699718 | S-LP25-MCS 2W SPKR 25V W/STRB RED | SE-MC-R | | | | | CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING |
| S-LP25-MCS-W | 500-699720 | S-LP25-MCS-W 2W SPKR 25V W/STB WHITE | SE-MC-W | | | | | CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING |
| S-LP70-MCS | 500-699721 | S-LP70-MCS 2W SPKR 70V W/STRB RED | SE-MC-R | | | | | CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING |
| S-LP70-MCS-W | 500-699723 | S-LP70-MCS-W 2W SPKR 70V W/STB WHITE | SE-MC-W | | | | | CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING |
| S-LP25 | 500-698800 | S-LP25 SPEAKER 25V RED | SE-R | | | | | CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING |
| S-LP70 | 500-698801 | S-LP70 SPEAKER 70V RED | SE-R | | | | | CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING |
| S-LP25-W | 500-698802 | S-LP25-W SPEAKER 25V WHITE | SE-W | | | | | CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING |
| S-LP70-W | 500-698803 | S-LP70-W SPEAKER 70V WHITE | SE-W | | | | | CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING |
| ***LOW PROFILE SPEAKER/STROBES-WALL MOUNT METAL GRILL*** | | | | | | | | |
| S-LP25MG-MCS | 500-648638 | S-LP25MG-MCS RED | SEF-MC-R | | | | | CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING |
| S-LP25MG-MCS-W | 500-648640 | S-LP25MG-MCS-W WHITE | SEF-MC-W | | | | | CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING |
| S-LP70MG-MCS | 500-648639 | S-LP70MG-MCS RED | SEF-MC-R | | | | | CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING |
| S-LP70MG-MCS-W | 500-648641 | S-LP70MG-MCS-W WHITE | SEF-MC-W | | | | | CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING |
| S-LP25MG | 500-699742 | S-LP25MG 2W SPKR WALL W/MET GL RED | SEF-R | | | | | CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING |
| S-LP25MG-W | 500-699743 | S-LP25MG-W 2W SPKR WALL W/METAL GRILL WHITE | SEF-W | | | | | CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING |
| S-LP70MG | 500-699744 | S-LP70MG 2W SPKR RED | SEF-R | | | | | CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING |
| S-LP70MG-W | 500-699745 | S-LP70MG-W 2W SPKR WHITE | SEF-W | | | | | CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING |
| S-LP70MG-MCS-WE | 500-648857 | SPEAKER/STROBE WITH EVACUATE WHITE | N/A | | | | | |
| *** LOW PROFILE SPEAKER/STROBES-CEILING MOUNT *** | | | | | | | | |
| S-LP25-MCS-C | 500-699719 | S-LP25-MCS-C 2W SPKR 25V W/STB WHITE | SE-MC-CW | | | | | CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING |
| S-LP70-MCS-C | 500-699722 | S-LP70-MCS-C 2W SPKR 70V W/STB WHITE | SE-MC-CW | | | | | CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING |
| S-LP25-C | 500-698844 | S-LP25-C SPKR CEILING MOUNT WHITE | SEF-CW | | | | | CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING |
| S-LP70-C | 500-698845 | S-LP70-C SPKR CEILING MOUNT WHITE | SEF-CW | | | | | CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING |
| ***4 WATT SPEAKERS AND SPEAKER/STROBES WALL MOUNT*** | | | | | | | | |
| S-HPMG-MCS | 500-648625 | 1/16 TO 4 WATT SPK/STRB METAL RED | SET-MC-R | | | | | DIRECT REPLACEMENT |
| S-HPMG-MCS-W | 500-648626 | 1/16 TO 4 WATT SPK/STRB METAL WHITE | SET-MC-W | | | | | DIRECT REPLACEMENT |
| S-HP | 500-699734 | S-HP 4W SPKR WALL MTG RED | SET-R | | | | | DIRECT REPLACEMENT |
| S-HP-W | 500-699735 | S-HP-W 4W SPKR WALL MTG WHITE | SET-W | | | | | DIRECT REPLACEMENT |
| S-HP-MCS | 500-699737 | S-HP-MCS 4W SPKR WALL MTG W/STROBE RED | SET-MC-R | | | | | DIRECT REPLACEMENT |
| S-HP-MCS-W | 500-699738 | S-HP-W-MCS SPKR WALL WHT W/STB WHITE | SET-MC-W | | | | | DIRECT REPLACEMENT |
| S-HPMG | 500-699740 | S-HPMG 4W SPKR WALL W/METAL GL RED | SET-R | | | | | DIRECT REPLACEMENT |
| S-HPMG-W | 500-699741 | S-HP-MG-W 4W SPKR WALL W/MET GL WHITE | SET-W | | | | | DIRECT REPLACEMENT |
| ***4 WATT SPEAKERS AND SPEAKER/STROBES CEILING MOUNT*** | | | | | | | | |
| S-HP-C | 500-699736 | 1/16 4W SPKR CEILING MTG WHT | SET-CW | | | | | DIRECT REPLACEMENT |
| S-HP-MCS-C | 500-699739 | 1/16 4W CEIL WHT W/STRB WHITE | SET-MC-CW | | | | | DIRECT REPLACEMENT |
| ***4 WATT WEATHERPROOF SPEAKER*** | | | | | | | | |
| S-HPMG-WP | 500-649320 | 1/16 TO 4 WATT WEATHERPROOF SPEAKER RED | N/A | | | | | N/A |
| S-HP6-MCS-WP | 500-649310 | OUTDOOR SPEAKER/STROBE | SET-177-CR-WP | SET-177-CW-WP | SET-185-R-WP | SET-185-W-WP | SET-S17-CW-WP | DIRECT REPLACEMENT |
| MT-SUR-BOX | 500-693168 | MT-SUR-BOX WEATHERPROOF BACK BOX RED | MT-SUR-BOX | | | | | DIRECT REPLACEMENT |
| *** ELECTRONIC CHIME/STROBES-WALL MOUNT *** | | | | | | | | |
| U-EC-MCS | 500-699715 | U-EC-MCS ELECT CHIME W/STROBE RED | CH-MC-R | | | | | DIRECT REPLACEMENT |
| U-EC-MCS-W | 500-699717 | U-EC-MCS-W ELECT CHIME W/STRB WHITE | CH-MC-W | | | | | DIRECT REPLACEMENT |
| U-EC | 500-696850 | 4" SRFCE/FLUSH, 24V, RED | CH-R | | | | | DIRECT REPLACEMENT |
| U-EC-W | 500-696851 | 4" SRFCE/FLSH, 24VDC, WHITE | CH-W | | | | | DIRECT REPLACEMENT |
| *** ELECTRONIC CHIME/STROBES-CEILING MOUNT *** | | | | | | | | |
| U-EC-MCS-C | 500-699716 | U-EC-MCS-C ELECT CHIME W/STRB WHITE | CH-MC-CW | | | | | DIRECT REPLACEMENT |
| U-EC-C | 500-696924 | U-EC-C DC CHIME WHITE | CH-CW | | | | | DIRECT REPLACEMENT |
| *** SYNC CONTROL DEVICES *** | | | | | | | | |
| DSC | 500-696872 | DUAL SYNC CONTROL MODULE RED | NO CHANGE | | | | | NO CHANGE |
| DSC-W | 500-696873 | DUAL SYNC CONTROL MODULE WHT | NO CHANGE | | | | | NO CHANGE |
| *** TRI-TONE HORN *** | | | | | | | | |
| TTH | 500-694470 | TRI-TONE HORN 24V DC RED | ASR | | | | | DIRECT REPLACEMENT |

| LEGACY MODEL | LEGACY 500# | LEGACY DESCRIPTION | REPLACEMENT MODELS | | | | NOTES |
|--------------------------------------|-------------|----------------------------------|--------------------|--|--|--|--------------------|
| TTH-AC | 500-694471 | TRI-TONE HORN 120V AC RED | N/A | | | | N/A |
| *** BELLS *** | | | | | | | |
| BT-F | 500-694372 | BELL 10" 24V DC RED VIBRATING | MBDC-10 | | | | DIRECT REPLACEMENT |
| BS-F | 500-694374 | BELL 6" 24V DC RED VIBRATING | MBDC-6 | | | | DIRECT REPLACEMENT |
| BF-F | 500-694375 | BELL 4" 24V DC RED VIBRATING | N/A | | | | N/A |
| BT-AC | 500-694377 | BELL 10" 120VAC RED VIBRATING | B10-115-R | | | | DIRECT REPLACEMENT |
| BS-AL | 500-694379 | BELL 6" 120VAC RED VIBRATING | B6-24AC-R | | | | DIRECT REPLACEMENT |
| BT-SS | 500-694387 | BELL 10" 24V DC RED VIBRATING | N/A | | | | N/A |
| BS-SS | 500-694389 | BELL 6" 24V DC RED VIBRATING | N/A | | | | N/A |
| BT-SS-AC | 500-694398 | BELL 10" 120VAC RED VIBRATING | N/A | | | | N/A |
| *** EXPLOSION PROOF HORNS *** | | | | | | | |
| HN-EP | 500-694290 | EXPLSIN PROOF HRN 24V DC 95DB | N/A | | | | N/A |
| HNH-EP | 500-694289 | EXPLSIN PROOF HRN 24V DC 110DB | N/A | | | | N/A |
| *** MOUNTING ACCESSORIES *** | | | | | | | |
| FBX-F | 500-695342 | 2.7 INCH DEEP FLUSH BACK BOX | N/A | | | | N/A |
| FBX-S | 500-695340 | 1.7 INCH DEEP SURFACE BOX-RED | SHBBS-R | | | | DIRECT REPLACEMENT |
| FBX-SF | 500-695341 | 2.7 IN SURFACE BACK BOX-RED | SBBS-R | | | | DIRECT REPLACEMENT |
| FER | 500-694493 | EXTENSION RING-RED | SERS-R | | | | DIRECT REPLACEMENT |
| FWB-1 | 500-694494 | W'PROOF BOX 1/2" CONDUIT-RED | WBBS-R | | | | DIRECT REPLACEMENT |
| FWB-2 | 500-694495 | W'PROOF BOX 3/4" CONDUIT-RED | WBBS-R-3/4T-3/4B | | | | DIRECT REPLACEMENT |
| FIB | 500-694496 | STANDARD 4 SQ BOX RED | BBS-R | | | | DIRECT REPLACEMENT |
| FSFP | 500-694497 | SEMI-FLUSH PLATE-RED | SFPS-R | | | | DIRECT REPLACEMENT |
| FCCP | 500-694498 | CONCEALED COND. PLATE-RED | APS-R | | | | DIRECT REPLACEMENT |
| FSP | 500-694499 | SINGLE PROJECTOR-RED | N/A | | | | N/A |
| FDP | 500-694500 | DOUBLE PROJECTOR-RED | N/A | | | | N/A |
| FBX-SW | 500-695874 | 1.7 INCH DEEP SURFACE BOX- WHITE | SHBBS-W | | | | DIRECT REPLACEMENT |
| FBX-SFW | 500-695875 | 2.7 INCH DEEP SURFACE BOX-WHITE | SBBS-W | | | | DIRECT REPLACEMENT |
| FERW | 500-695772 | EXTENSION RING WHITE | SERS-W | | | | DIRECT REPLACEMENT |
| FWB-1W | 500-695773 | W'PROOF BOX 1/2" CONDUIT-WHITE | WBBS-W | | | | DIRECT REPLACEMENT |
| FWB-2W | 500-695774 | W'PROOF BOX FOR CONDUIT- WHITE | WBBS-W-3/4T-3/4B | | | | DIRECT REPLACEMENT |
| FIBW | 500-695775 | SURFACE/FLUSH 1.5" DEEP-WHITE | BBS-W | | | | DIRECT REPLACEMENT |
| FSFPW | 500-695776 | SEMI-FLUSH PLATE WHITE | SFPS-W | | | | DIRECT REPLACEMENT |
| FCCPW | 500-695777 | CONCEALED COND PLATE WHT | N/A | | | | N/A |