

LEGACY MODEL	LEGACY 500#	LEGACY DESCRIPTION	REPLACEMENT MODELS				NOTES
*** STAND ALONE STROBES OR-WALL MOUNT ***							
U-MCS	500-699701	U-MCS ADAPT STAND ALONE STROBE RED	ZR-MC-CR	ZR-MC-R			DIRECT REPLACEMENT
U-MCS-W	500-699702	U-MCS-W ADAPT STD ALONE STROBE WHITE	ST-MC-CW	ZR-MC-W	ZR-MC-CW		DIRECT REPLACEMENT
U-MCS-WE	500-648644	U-MCS-WE STANDALONE STROBE EVAC WHITE	N/A				N/A
*** RETRO PLATE WITH STROBE - WALL MOUNT ***							
U-MCS-6090V	500-699703	U-MCS-6090V ADAPT/STD STROBE RED	ST-MC-RETRO-R				DIRECT REPLACEMENT
U-MCS-6090V-W	500-699704	U-MCS-6090V-W ADAPT/STD STROBE WHITE	N/A				N/A
*** STAND ALONE STROBES - WALL MOUNT - WEATHERPROOF ***							
U-S110-1	500-696658	U-S110-1 100CD STROBE RED	ST-75-R-WP				NOT 100 CANDELA - NOW 30/180 CANDELA
U-S110-1-W	500-696659	U-S110-1-W 100CD STROBE WHITE	ST-75-W-WP				NOT 100 CANDELA - NOW 30/180 CANDELA
U-S110S-1	500-696660	U-S110S-1 100CD SYNC STROBE RED	ST-75-R-WP				NOT 100 CANDELA - NOW 30/180 CANDELA
U-S110S-1-W	500-696661	U-S110S-1-W 100CD SYNC STROBE WHITE	ST-75-W-WP				NOT 100 CANDELA - NOW 30/180 CANDELA
U-MCS-WP	500-649499	ADAPTER STROBE	ST-HMC-R-WP	ST-HMC-CR-WP			NOT STANDARD CANDELA - NOW HI CANDELA
U-MCS-WP-W	500-649500	ADAPTER STROBE WHITE	ST-HMC-W-WP	ST-HMC-CW-WP			NOT STANDARD CANDELA - NOW HI CANDELA
*** STAND ALONE STROBES - 120VAC WALL MOUNT - WEATHERPROOF ***							
U-S110-1-AC	500-698934	U-S110-1-AC WP STROBE 100CD RED	N/A				N/A
*** STAND ALONE STROBES - 120VAC - WALL MOUNT ***							
U-S110-AC	500-698916	U-S110-AC STROBE 110CD RED	N/A				N/A
U-S110-AC-W	500-698917	U-S110-AC-W STROBE 110CD,WHT	N/A				N/A
*** RETROPLATE W/STROBE 120VAC - WALL MOUNT ***							
U-S110-6090V-AC	500-698928	U-S110-6090V-AC SIG PLT W/STROBE RED	N/A				N/A
*** AC ELECTRO-MECHANICAL HORN/STROBES-WALL MOUNT ***							
U-HN-AC	500-696500	4" SURFACE/FLUSH 120VAC,RED	MH115-R				DIRECT REPLACEMENT
U-HN-AC-W	500-696501	4" SURFACE/FLUSH 120VAC,WHITE	N/A				N/A
U-HN-S110-AC	500-696510	AC HORN 110CD STROBE,RED	MTH-15-115-R-WP				DIRECT REPLACEMENT
U-HN-S110-AC-W	500-696511	AC HORN 110CD STROBE,WHITE	MTH-15-115-R-RP				DIRECT REPLACEMENT
*** DC ELECTRO-MECHANICAL HORN/STROBES-WALL MOUNT ***							
U-HN-MCS	500-699724	U-HN-MCS E-MECH HORN W/STROBE RED	AS-MC-R				DIRECT REPLACEMENT
U-HN-MCS-W	500-699726	U-HN-MCS-W E-MECH HORN W/STROBE WHITE	AS-MC-W				DIRECT REPLACEMENT
U-HN	500-696512	4" SURFACE/FLUSH,24VDC,RED	AH-R				DIRECT REPLACEMENT
U-HN-W	500-696513	4" SURFACE/FLUSH,24VDC,WHITE	AH-W				DIRECT REPLACEMENT
*** DC ELECTRO-MECHANICAL HORN/STROBES-CEILING MOUNT ***							
U-HN-MCS-C	500-699725	U-HN-MCS-C E-MECH HORN W/STROBE WHITE	AS-MC-CW				DIRECT REPLACEMENT
U-HN-C	500-696935	U-HN-C HORN CEILING MOUNT WHITE	AH-W				DIRECT REPLACEMENT
*** DC ELECTRO-MECHANICAL HI DB HORN/STROBES-WALL MOUNT ***							
U-HNH-MCS	500-699729	U-HNH-MCS E-MECH HORN W/STROBE RED	AS-MC-R				NOT 100dB - NOW 99dB
U-HNH-MCS-W	500-699731	U-HNH-MCS-W E-MECH HORN W/STROBE WHITE	AS-MC-W				NOT 100dB - NOW 99dB
U-HNH	500-696534	4" SURF/FLSH 24VDC RED MECH HRN	AH-R				NOT 100dB - NOW 99dB
U-HNH-W	500-696535	4" SURFACE MECH HORN 24VDC,WHT	AH-W				NOT 100dB - NOW 99dB
*** DC ELECTRO-MECHANICAL HI DB HORN/STROBES-CEILING MOUNT ***							
U-HNH-MCS-C	500-699730	U-HNH-MCS-C WHITE	AS-MC-CW				NOT 100dB - NOW 99dB
U-HNH-C	500-696946	HORN-CEILING MOUNT WHITE	AH-W				NOT 100dB - NOW 99dB
*** DC ELECTRO-MECHANICAL HORN/STROBES-WALL MOUNT - WEATHERPROOF ***							
U-HN-S110-1	500-696692	U-HN-S110-1 110CD STROBE RED	AS-75-R-WP				DIRECT REPLACEMENT
U-HN-S110-1-W	500-696693	U-HN-S110-1-W 110CD STROBE WHITE	N/A				N/A
U-HN-S110S-1	500-696694	U-HN-S110S-1 110CD SYNC STROBE RED	AS-75-R-WP				NOT 110 CANDELA - NOW 30/180 CANDELA
U-HN-S110S-1-W	500-696695	U-HN-S110S-1-W 110CD SYNC STROBE WHITE	N/A				N/A
U-HN-MCS-WP	500-649501	HORN/ADAPTER STROBE	AS-HMC-CR-WP	AS-HMC-R-WP			NOT LOW CANDELA - NOW HI
U-HN-MCS-W-WP	500-649502	HORN/ADAPTER STROBE WHITE	AS-HMC-CW-WP	AS-HMC-W-WP			NOT LOW CANDELA - NOW HI
DC ELECTROMECHANICAL HI DB HORN/STROBES - WALL MOUNT - WEATHERPROOF							
U-HNH-S110-1	500-696714	U-HNH-S110-1 110CD STROBE RED	AS-75-R-WP				NOT 100dB - NOW 99dB
U-HNH-S110S-1	500-696716	U-HNH-S110S-1 110CD SYNC STROBE RED	AS-75-R-WP				NOT 100dB - NOW 99dB
U-HNH-S110-1-W	500-696715	U-HNH-S110-1-W 100CD STROBE WHITE	N/A				N/A
U-HNH-MCS-WP	500-649503	HORN/ADAPTER STROBE	AS-HMC-R-WP				NOT STANDARD CANDELA - NOW HI; NOT 100dB - NOW 99dB
U-HNH-MCS-W-WP	500-649504	HORN/ADAPTER STROBE WHITE	AS-HMC-W-WP				NOT STANDARD CANDELA - NOW HI; NOT 100dB - NOW 99dB
*** AC ELECTROMECHANICAL HORN/STROBES - WALL MOUNT - WEATHERPROOF ***							
U-HN-S110-1-AC	500-696672	U-HN-S110-1-AC 110CD STROBE RED	N/A				N/A
U-HN-S110-1-ACW	500-696673	U-HN-S110-1-AC-W 110CD STROBE WHITE	N/A				N/A
*** STEADY TONE MINI - HORN/STROBES - WALL OR CEILING MOUNT ***							
U-MH-MCS	500-699711	U-MH-MCS MINIHORN W/STROBE RED	HS-MC-R				WALL MOUNT ONLY
U-MH-MCS-W	500-699712	U-MH-MCS-W MINI HORN W/STROBE WHITE	HS-MC-W				WALL MOUNT ONLY
U-MH-1G	500-696556	MINI HORN 24VDC,1 GNG SRF/FLSH, RED	MH-R				DIRECT REPLACEMENT
U-MH-1G-W	500-696557	MINI-HRN 24VDC,1 GNG SRF/FLSH,WHITE	MH-W				DIRECT REPLACEMENT
U-MH	500-696558	MINI-HRN 24VDC,SRF/FLSH,RED	HS-R				DIRECT REPLACEMENT
U-MH-W	500-696559	MINI HORN- WHITE	HS-W				DIRECT REPLACEMENT
SYNS/NON-SYNC ELECTRONIC HORNS AND HORN/STROBES WALL OR CEILING MOUNT							
U-MHU-1G	500-699591	1 GANG ELC SYNC/NON-SYNC HORN RED	MH-R				DIRECT REPLACEMENT
U-MHU-1G-W	500-699592	1 GANG ELC SYNC/NON-SYNC HORN WHITE	MH-W				DIRECT REPLACEMENT
U-MHU-W	500-699593	1,2&4 GANG ELC SYNC/NON-SYNC HORN WHITE	HS-W				DIRECT REPLACEMENT
U-MHU	500-699594	1,2&4 GANG ELC SYNC/NON-SYNC HORN RED	HS-R				DIRECT REPLACEMENT
U-MHU-MCS	500-699597	ELC SYNC/NON-SYNC HORN W/MCS STROBE RED	HS-MC-R				DIRECT REPLACEMENT
U-MHU-MCS-W	500-699598	ELC SYNC/NON-SYNC HORN-W/MCS STROBE WHITE	HS-MC-W				DIRECT REPLACEMENT
U-MHU-MCS-WP	500-649080	SYNC HORN STROBE WP	AS-HMC-CR-WP	AS-HMC-CW-WP	AS-HMC-R-WP	AS-HMC-W-WP	NOT LOW CANDELA - NOW HI CANDELA; NOT 4 WIRE - NOW 2 WIRE ONLY

LEGACY MODEL	LEGACY 500#	LEGACY DESCRIPTION	REPLACEMENT MODELS					NOTES
*** SYNC/NON SYNC HORN AND HORN/STROBE WEATHERPROOF***								
U-MHU-WP	500-649090	WP SYNC HORN/STROBE	AH-R-WP					DIRECT REPLACEMENT
U-MHU-S110S-1	500-649460	W/P SYNC HORN/STROBE-100CD	AS-75-R-WP	AS-75-CR-WP				NOT 110 CANDELA - NOW 30/180 CANDELA
U-MHU-S110-1	500-649461	W/P NON-SYNC HORN/STROBE-100CD	AS-75-R-WP	AS-75-CR-WP				NOT 110 CANDELA - NOW 30/180 CANDELA
MT-SUR-BOX	500-693168	MT-SUR-BOX WEATHERPROOF	MT-SUR-BOX					DIRECT REPLACEMENT
AGENT RELEASE NOTIFICATION APPLIANCES								
U-MCS-AR	500-699746	STAND ALONE STROBE AGENT RELEASE RED	N/A					FUTURE
U-MMT-MCS-AR	500-699758	8 TONE HORN W/ STRB AGENT RELEASE RED	N/A					FUTURE
U-MMT-AR	500-699759	8 TONE HORN W/ AGENT RELEASE RED	N/A					FUTURE
*** STEADY/TEMPORAL TONE MINI HORN/STROBE-WALL OR CEILING MOUNT ***								
U-MHT-MCS	500-699709	U-MHT-MCS MINIHORN W/STROBE	ZH-MC-R	ZH-MC-CR	NS-MC-CR			DIRECT REPLACEMENT
U-MHT-MCS-W	500-699710	U-MHT-MCS-W MINIHORN W/STROBE	ZH-MC-W	ZH-MC-CW	NS-MC-CW			DIRECT REPLACEMENT
U-MHT-1G	500-696580	MINI HORN 24VDC 1 GANG RED	MH-R					DIRECT REPLACEMENT
U-MHT-1G-W	500-696581	MINI-HORN 24VDC GANG WHITE	MH-W					DIRECT REPLACEMENT
U-MHT	500-696582	MINI-HORN 24VDC RED	ZH-R					DIRECT REPLACEMENT
U-MHT-W	500-696583	MINI-HORN 24VDC WHITE	ZH-W					DIRECT REPLACEMENT
*** 8 TONE ELECTRONIC HORN/STROBES-WALL OR CEILING MOUNT ***								
U-MMT-MCS	500-699713	U-MMT-MCS 8T MINIHORN W/STROBE RED	MTH-MC-R					DIRECT REPLACEMENT
U-MMT-MCS-W	500-699714	U-MMT-MCS-W 8T MINIHORN W/STROBE WHITE	MTH-MC-W					DIRECT REPLACEMENT
U-MMT-1G	500-696604	1 GANG SRFCE/FLSH 24VDC,RED	N/A					N/A
U-MMT-1G-W	500-696605	1 GANG SRFCE/FLSH 24VDC, WHITE	N/A					N/A
U-MMT	500-696606	1, 2 & 4" GANG SRF/FLSH 24VDC,RED	MTH-R					DIRECT REPLACEMENT
U-MMT-W	500-696607	1, 2 & 4" GANG SRF/FLSH 24VDC,WHITE	MTH-W					DIRECT REPLACEMENT
*** LOW PROFILE SPEAKER/STROBES-WALL MOUNT ***								
S-LP25-MCS	500-699718	S-LP25-MCS 2W SPKR 25V W/STRB RED	SE-MC-R					CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING
S-LP25-MCS-W	500-699720	S-LP25-MCS-W 2W SPKR 25V W/STB WHITE	SE-MC-W					CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING
S-LP70-MCS	500-699721	S-LP70-MCS 2W SPKR 70V W/STRB RED	SE-MC-R					CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING
S-LP70-MCS-W	500-699723	S-LP70-MCS-W 2W SPKR 70V W/STB WHITE	SE-MC-W					CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING
S-LP25	500-698800	S-LP25 SPEAKER 25V RED	SE-R					CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING
S-LP70	500-698801	S-LP70 SPEAKER 70V RED	SE-R					CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING
S-LP25-W	500-698802	S-LP25-W SPEAKER 25V WHITE	SE-W					CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING
S-LP70-W	500-698803	S-LP70-W SPEAKER 70V WHITE	SE-W					CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING
LOW PROFILE SPEAKER/STROBES-WALL MOUNT METAL GRILL								
S-LP25MG-MCS	500-648638	S-LP25MG-MCS RED	SEF-MC-R					CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING
S-LP25MG-MCS-W	500-648640	S-LP25MG-MCS-W WHITE	SEF-MC-W					CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING
S-LP70MG-MCS	500-648639	S-LP70MG-MCS RED	SEF-MC-R					CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING
S-LP70MG-MCS-W	500-648641	S-LP70MG-MCS-W WHITE	SEF-MC-W					CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING
S-LP25MG	500-699742	S-LP25MG 2W SPKR WALL W/MET GL RED	SEF-R					CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING
S-LP25MG-W	500-699743	S-LP25MG-W 2W SPKR WALL W/METAL GRILL WHITE	SEF-W					CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING
S-LP70MG	500-699744	S-LP70MG 2W SPKR RED	SEF-R					CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING
S-LP70MG-W	500-699745	S-LP70MG-W 2W SPKR WHITE	SEF-W					CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING
S-LP70MG-MCS-WE	500-648857	SPEAKER/STROBE WITH EVACUATE WHITE	N/A					
*** LOW PROFILE SPEAKER/STROBES-CEILING MOUNT ***								
S-LP25-MCS-C	500-699719	S-LP25-MCS-C 2W SPKR 25V W/STB WHITE	SE-MC-CW					CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING
S-LP70-MCS-C	500-699722	S-LP70-MCS-C 2W SPKR 70V W/STB WHITE	SE-MC-CW					CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING
S-LP25-C	500-698844	S-LP25-C SPKR CEILING MOUNT WHITE	SEF-CW					CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING
S-LP70-C	500-698845	S-LP70-C SPKR CEILING MOUNT WHITE	SEF-CW					CAN NOT USE 1-1/2" DEEP BACKBOX - MUST USE 2-1/8" DEEP BACKBOX OR EXTENSION RING
4 WATT SPEAKERS AND SPEAKER/STROBES WALL MOUNT								
S-HPMG-MCS	500-648625	1/16 TO 4 WATT SPK/STRB METAL RED	SET-MC-R					DIRECT REPLACEMENT
S-HPMG-MCS-W	500-648626	1/16 TO 4 WATT SPK/STRB METAL WHITE	SET-MC-W					DIRECT REPLACEMENT
S-HP	500-699734	S-HP 4W SPKR WALL MTG RED	SET-R					DIRECT REPLACEMENT
S-HP-W	500-699735	S-HP-W 4W SPKR WALL MTG WHITE	SET-W					DIRECT REPLACEMENT
S-HP-MCS	500-699737	S-HP-MCS 4W SPKR WALL MTG W/STROBE RED	SET-MC-R					DIRECT REPLACEMENT
S-HP-MCS-W	500-699738	S-HP-W-MCS SPKR WALL WHT W/STB WHITE	SET-MC-W					DIRECT REPLACEMENT
S-HPMG	500-699740	S-HPMG 4W SPKR WALL W/METAL GL RED	SET-R					DIRECT REPLACEMENT
S-HPMG-W	500-699741	S-HP-MG-W 4W SPKR WALL W/MET GL WHITE	SET-W					DIRECT REPLACEMENT
4 WATT SPEAKERS AND SPEAKER/STROBES CEILING MOUNT								
S-HP-C	500-699736	1/16 4W SPKR CEILING MTG WHT	SET-CW					DIRECT REPLACEMENT
S-HP-MCS-C	500-699739	1/16 4W CEIL WHT W/STRB WHITE	SET-MC-CW					DIRECT REPLACEMENT
4 WATT WEATHERPROOF SPEAKER								
S-HPMG-WP	500-649320	1/16 TO 4 WATT WEATHERPROOF SPEAKER RED	N/A					N/A
S-HP6-MCS-WP	500-649310	OUTDOOR SPEAKER/STROBE	SET-177-CR-WP	SET-177-CW-WP	SET-185-R-WP	SET-185-W-WP	SET-S17-CW-WP	DIRECT REPLACEMENT
MT-SUR-BOX	500-693168	MT-SUR-BOX WEATHERPROOF BACK BOX RED	MT-SUR-BOX					DIRECT REPLACEMENT
*** ELECTRONIC CHIME/STROBES-WALL MOUNT ***								
U-EC-MCS	500-699715	U-EC-MCS ELECT CHIME W/STROBE RED	CH-MC-R					DIRECT REPLACEMENT
U-EC-MCS-W	500-699717	U-EC-MCS-W ELECT CHIME W/STRB WHITE	CH-MC-W					DIRECT REPLACEMENT
U-EC	500-696850	4" SRFCE/FLUSH, 24V, RED	CH-R					DIRECT REPLACEMENT
U-EC-W	500-696851	4" SRFCE/FLSH, 24VDC, WHITE	CH-W					DIRECT REPLACEMENT
*** ELECTRONIC CHIME/STROBES-CEILING MOUNT ***								
U-EC-MCS-C	500-699716	U-EC-MCS-C ELECT CHIME W/STRB WHITE	CH-MC-CW					DIRECT REPLACEMENT
U-EC-C	500-696924	U-EC-C DC CHIME WHITE	CH-CW					DIRECT REPLACEMENT
*** SYNC CONTROL DEVICES ***								
DSC	500-696872	DUAL SYNC CONTROL MODULE RED	NO CHANGE					NO CHANGE
DSC-W	500-696873	DUAL SYNC CONTROL MODULE WHT	NO CHANGE					NO CHANGE
*** TRI-TONE HORN ***								
TTH	500-694470	TRI-TONE HORN 24V DC RED	ASR					DIRECT REPLACEMENT

LEGACY MODEL	LEGACY 500#	LEGACY DESCRIPTION	REPLACEMENT MODELS				NOTES
TTH-AC	500-694471	TRI-TONE HORN 120V AC RED	N/A				N/A
*** BELLS ***							
BT-F	500-694372	BELL 10" 24V DC RED VIBRATING	MBDC-10				DIRECT REPLACEMENT
BS-F	500-694374	BELL 6" 24V DC RED VIBRATING	MBDC-6				DIRECT REPLACEMENT
BF-F	500-694375	BELL 4" 24V DC RED VIBRATING	N/A				N/A
BT-AC	500-694377	BELL 10" 120VAC RED VIBRATING	B10-115-R				DIRECT REPLACEMENT
BS-AL	500-694379	BELL 6" 120VAC RED VIBRATING	B6-24AC-R				DIRECT REPLACEMENT
BT-SS	500-694387	BELL 10" 24V DC RED VIBRATING	N/A				N/A
BS-SS	500-694389	BELL 6" 24V DC RED VIBRATING	N/A				N/A
BT-SS-AC	500-694398	BELL 10" 120VAC RED VIBRATING	N/A				N/A
*** EXPLOSION PROOF HORNS ***							
HN-EP	500-694290	EXPLSIN PROOF HRN 24V DC 95DB	N/A				N/A
HNH-EP	500-694289	EXPLSIN PROOF HRN 24V DC 110DB	N/A				N/A
*** MOUNTING ACCESSORIES ***							
FBX-F	500-695342	2.7 INCH DEEP FLUSH BACK BOX	N/A				N/A
FBX-S	500-695340	1.7 INCH DEEP SURFACE BOX-RED	SHBBS-R				DIRECT REPLACEMENT
FBX-SF	500-695341	2.7 IN SURFACE BACK BOX-RED	SBBS-R				DIRECT REPLACEMENT
FER	500-694493	EXTENSION RING-RED	SERS-R				DIRECT REPLACEMENT
FWB-1	500-694494	W'PROOF BOX 1/2" CONDUIT-RED	WBBS-R				DIRECT REPLACEMENT
FWB-2	500-694495	W'PROOF BOX 3/4" CONDUIT-RED	WBBS-R-3/4T-3/4B				DIRECT REPLACEMENT
FIB	500-694496	STANDARD 4 SQ BOX RED	BBS-R				DIRECT REPLACEMENT
FSFP	500-694497	SEMI-FLUSH PLATE-RED	SFPS-R				DIRECT REPLACEMENT
FCCP	500-694498	CONCEALED COND. PLATE-RED	APS-R				DIRECT REPLACEMENT
FSP	500-694499	SINGLE PROJECTOR-RED	N/A				N/A
FDP	500-694500	DOUBLE PROJECTOR-RED	N/A				N/A
FBX-SW	500-695874	1.7 INCH DEEP SURFACE BOX- WHITE	SHBBS-W				DIRECT REPLACEMENT
FBX-SFW	500-695875	2.7 INCH DEEP SURFACE BOX-WHITE	SBBS-W				DIRECT REPLACEMENT
FERW	500-695772	EXTENSION RING WHITE	SERS-W				DIRECT REPLACEMENT
FWB-1W	500-695773	W'PROOF BOX 1/2" CONDUIT-WHITE	WBBS-W				DIRECT REPLACEMENT
FWB-2W	500-695774	W'PROOF BOX FOR CONDUIT- WHITE	WBBS-W-3/4T-3/4B				DIRECT REPLACEMENT
FIBW	500-695775	SURFACE/FLUSH 1.5" DEEP-WHITE	BBS-W				DIRECT REPLACEMENT
FSFPW	500-695776	SEMI-FLUSH PLATE WHITE	SFPS-W				DIRECT REPLACEMENT
FCCPW	500-695777	CONCEALED COND PLATE WHT	N/A				N/A